LIGHTIFY GARDENSPOT MINI RGB Add-on

LIGHTIFY Gardenspot Mini RGB Add-on |

Areas of application

- Gardens
- Outdoor

Product benefits

- Controllable via smart devices (via Android and iOS)
- Complete LIGHTIFY function
- Easy to install and use
- Contains no mercury

Product features

- Extension for LIGHTIFY Gardenspot Mini RGB
- RGB color control
- Dimmable via LIGHTIFY
- Three additional light points at a length 1,500 mm
- Type of protection: IP66

© 2015, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Operating mode	ECG
Nominal wattage	4.5 W
Nominal voltage	220...240 V
Mains frequency	50 Hz

Light technical data

Light color management	RGB color control

Dimensions & weight

Length	2.0 mm
Product weight	40.00 g

Colors & materials

Body material	Polycarbonate (PC)
Cover material	Polykarbonát (PC), UV stabilizace

Additional product data

Number of lighting outlets	3
Appropriate disposal acc. to WEEE	Yes

Capabilities

Type of installation	Slip-in mounting
Dimmable	Yes [1)]
Type of connection	cable with plug
LIGHTIFY technology	Yes

[1)] Via Lightify function

Certificates & standards

Protection class	III
Type of protection	IP66

Country specific categorizations

Order reference	LIGHTIFY GARDEN

Equipment / Accessories

- LIGHTIFY Gardenspot Mini RGB required
- LIGHTIFY APP required

© 2015, OSRAM GmbH. All rights reserved.

– LIGHTIFY Gateway required

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899929838	LIGHTIFY GARDENSPOT MINI RGB Add-on	Shipping carton box 4	173 mm x 108 mm x 141 mm	2.63 dm^3	452.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2015, OSRAM GmbH. All rights reserved.